British Journal of Plastic Surgery (1998), **51**, 659–664
© 1998 The British Association of Plastic Surgeons

Author Index

A

Abanmi, A., jt.author. *See* Habiballah, J.
Abdulrauf, B., jt.author. *See* Stranc, M.F.
Abe, S., jt.author. *See* Kamibayashi, Y.
Agarwal, R. and Chandra, R. Subscapular vascular axis for raising flaps (correspondence), 485
Agrawal, K., Panda, K.N. and Arumugam, A. An inexpensive self fabricated pressure clip for the ear lobe, 122
Ahčan, U., Arnež, Z.M., Bajrovic, F. and Janko, M. Contribution of collateral sprouting to the sensory and sudomotor recovery in the human palm after peripheral nerve injury, 436
Ahčan, U., jt.author. *See* Arnež, Z.M.
Ahmad, K. Regression in keloid scar by intralesional injection of papaya milk (correspondence), 261
Ahmed, J., jt.author. *See* Choudhary, S.
Akamatsu, J., jt.author. *See* Tanaka, Y.
Akbaş, H., Karacaoğlan, N. and Uysal, A. The use of scalp flap as graft donor area (correspondence), 571
Akioka, J., jt.author. *See* Kusumoto, K.
Al-Nakib, K., jt.author. *See* Georgantopoulou, A.A.
Al-Qattan, M.M. Cone-shaped epiphyses in the toes and trifurcation of the soft palate in oral-facial-digital syndrome type-I (case report), 476
Al-Qattan, M.M. and Al-Thunyan, A. Variables affecting axonal regeneration following end-to-side neurorraphy, 238
Al-Qattan, M.M., jt.author. *See* Bafaqeeh, S.A.
Al-Thunyan, A., jt.author. *See* Al-Qattan, M.M.
Aliaga Boniche, A., jt.author. *See* Marín-Bertolín, S.
Amorrortu-Velayos, J., jt.author. *See* Marín-Bertolín, S.
Anan, G., jt.author. *See* Habiballah, J.
Ao, M., Asagoe, K., Maeta, M., Nakagawa, F., Saito, R. and Nagase, Y. Combined anterior thigh flaps and vascularised fibular graft for reconstruction of massive composite oromandibular defects, 350
Arnež, Z.M., Valdatta, L., Sassoon, E., Planinšek, F. and Ahčan, U. Salvage of a below knee amputation stump with a free sensate total sole flap preserving continuity of the posterior tibial nerve (case report), 470
Arnež, Z.M., jt.author. *See* Ahčan, U.
Arons, M.S. Successful treatment of a giant congenital melanocytic naevus with high-energy pulsed CO_2 laser (correspondence), 570
Arumugam, A., jt.author. *See* Agrawal, K.
Asagoe, K., jt.author. *See* Ao, M.
Atkinson, R.L., jt.author. *See* D'Urso, P.S.

B

Babu Manchar, M., jt.author. *See* Saleem, M.
Bafaqeeh, S.A. and Al-Qattan, M.M. Alterations in nasal sensibility following open rhinoplasty, 508
Bajrovic, F., jt.author. *See* Ahcan, U.
Banis, J.C., Jr, jt.author. *See* Franken, R.J.P.M.
Banwell, P., Withey, S. and Holten, I. The use of negative pressure to promote healing (correspondence), 79
Banwell, P.E., Watts, A.M.I., Murphy, J.V. and Roberts, A.H.N. Immunosuppression following thermal injury (correspondence), 411
Barak, A., jt.author. *See* Shoshani, O.
Barker, J.H., jt.author. *See* Franken, R.J.P.M.
Barker, T.M., jt.author. *See* D'Urso, P.S.
Barnett, N.J., jt.author. *See* Thorniley, M.S.
Barrellier, M.T., jt.author. *See* Dompmartin, A.
Batman, P.A., jt.author. *See* Collis, N.
Bekerecioğlu, M., jt.author. *See* Özyazgan, İ.
Belcher, H.J.C.R., jt.author. *See* Richards, S.W.
Bengoechea, M., jt.author. *See* Giraldo, F.
Bessho, K., jt.author. *See* Kusumoto, K.
Beyens, G., jt.author. *See* Blondeel, P.N.
Bhatty, M.A., Piggot, T.A., Soames, J.V. and McLean, N.R. Chronic non-specific parotid sialadenitis, 517
Biemer, E., jt.author. *See* Geishauser, M.
Blondeel, P.N., Beyens, G., Verhaeghe, R., Van Landuyt, K., Tonnard, P., Monstrey, S.J. and Matton, G. Doppler flowmetry in the planning of perforator flaps, 202
Blondeel, P.N., jt.author. *See* Heijningen, R.I. van
Boorman, J.G. Treatment of cleft lip and/or palate in the UK (guest editorial), 167
Borman, H. and Özcan, G. Modified adjustable technique to anchor the levator muscle to the flap used in total upper eyelid reconstruction, 566
Botev, I.N. Giant congenital cellular blue naevus of the scalp and cranium (correspondence), 410
Boyce, D.E. Non-Hodgkins lymphoma masquerading as a chronic venous leg ulcer (correspondence), 487
Bracaglia, R., Loreti, A., Farallo, E. and Fortunato, R. Aesthetic treatment of Romberg's disease with multiple implants of fragmented Gore-Tex* soft tissue patch (correspondence), 144
Bracka, A., jt.author. *See* Titley, O.G.
Breach, N.M., jt.author. *See* Lloyd, R.V.
Britto, J.A., Evans, R.D., Hayward, R.D. and Jones, B.M. Maxillary distraction osteogenesis in Pfeiffer's syndrome: urgent ocular protection by gradual midfacial skeletal advancement, 343
Bruce, I.J., jt.author. *See* D'Urso, P.S.
Bryden, D.C., jt.author. *See* Starley, I.F.

C

Camilleri, I.G. Ritual sprinkling as a source of recurrent infection in a skin graft donor site (correspondence), 147
Camilleri, I.G., Malata, C.M., McLean, N.R. and Kelly, C.G. Malignant tumours of the submandibular salivary gland: a 15-year review, 181
Camilleri, I.G., jt.author. *See* Stavrianos, S.D.
Carter, A.J., jt.author. *See* Lenihan, D.V.
Cedidi, C., jt.author. *See* Germann, G.
Çelebioğlu, S., Keser, A. and Ortak, T. An unusual complication of rhinoplasty: subcutaneous emphysema (correspondence), 266
Chana, J.S., Grover, R., Wilson, G.D., Hudson, D.A., Forders, M., Sanders, R. and Grobbelaar, A.O. The clinical significance of c-myc oncogene expression in melanomas of the scalp, 191
Chana, J.S., jt.author. *See* Vogelin, E.
Chandra, R., jt.author. *See* Agarwal, R.
Chandrasekhar, B.S., jt.author. *See* Kim, K.A.
Chau-Jin Weng. Surgical reconstruction in cryptophthalmos (case report), 17
Chen, H.C., jt.author. *See* Lutz, B.S.
Cheng, S.-L., jt.author. *See* Chuang, D.C.-C.
Cherry, G.W., jt.author. *See* Hu, D.
Chia-Lun Wu, jt.author. *See* Chwei-Chin Chuang, D.
Chih-Kang Chou, jt.author. *See* Sin-Daw Lin
Chou, C.-K., jt.author. *See* Lin, S.-D.
Choudhary, S., Koshy, C., Ahmed, J. and Evans, J. Friction burns to thigh caused by tourniquet (case report), 142
Choudhary, S. and Taams, K.O. Umbilicosculpture: a concept revisited, 538
Chuang, D.C.-C., Cheng, S.-L., Wei, F.-C., Wu, C.-L. and Ho, Y.-S. Clinical evaluation of C7 spinal nerve transection: 21 patients with at least 2 years' follow-up, 285
Chung, R.S., jt.author. *See* Hwang, K.
Chung-Sheng Lai, jt.author. *See* Sin-Daw Lin
Chwei-Chin Chuang, D., Shao-Lung Cheng, Fu-Chan Wei, Chia-Lun Wu and Yat-Sen Ho. Clinical evaluation of C7 spinal nerve transection: 21 patients with at least 2 years' follow-up, 285
Coates, J. and Rowsell, A. Plastic surgical training and the Internet: how plastic surgeons learn, 74
Cole, R.P. and Shakespeare, V. Measuring patient-based outcomes in a plastic surgery service: breast reduction surgical patients (correspondence), 79
Coleman, D.J., jt.author. *See* Johnson, D.
Colen, L.B., jt.author. *See* Potparić, Z.

Collis, N. and Sharpe, D.T. Breast implants: a survey of cosmetic clinics, 311
Collis, N., Stanley, P.R.W., Sharpe, D.T. and Batman, P.A. Rhinoscleroma: an interesting differential diagnosis (correspondence), 78
Cormack, G.C., jt.author. *See* Iqbal, A.
Costa, H. The distally based island posterior interosseous flap (correspondence), 650
Crowe, D., jt.author. *See* Theile, D.R.B.
Crowe, D.M., Hurley, J.V., Mitchell, G.M., Niazi, L. and Morrison, W.A. Long-term studies of cold-stored femoral artery and vein autografts, 291

D

Daley, F.M., jt.author. *See* Horlock, N.
Davidson, J.S.D. Suppurative tenosynovitis revisited (correspondence), 324
Davison, J.A. and Mercer, D.M. Accidental burn following subcutaneous mastectomy and reconstruction with a prosthesis (correspondence), 486
Davison, J.A., Mirlohi, H. and Rowsell, A.R. Modified diagram of Friedman's symbolic representation of cleft lip and palate anomalies, 281
DeBono, R. Problems encountered in a questionnaire-based study intended to investigate the use of prophylactic antibodies by plastic surgeons in the UK (correspondence), 569
DeBono, R., jt.author. *See* Kumar, M.
Demir, A., jt.author. *See* Eroğlu, L.
DeSouza, B.A. Silicone breast implants: complications (correspondence), 412
Dimić, N.D., jt.author. *See* Konstantinović, V.S.
Dompmartin, A., Labbé, D., Barrellier, M.T. and Théron, J. Use of a regulating flap in the treatment of a large arteriovenous malformation of the scalp (case report), 561
Donald, R.A., jt.author. *See* Murton, S.A.
D'Urso, P.S., Atkinson, R.L., Lanigan, M.W., Earwaker, W.J., Bruce, I.J., Holmes, A., Barker, T.M., Effeney, D.J. and Thompson, R.G. Stereolithographic (SL) biomodelling in craniofacial surgery, 522

E

Earwaker, W.J., jt.author. *See* D'Urso, P.S.
Effeney, D.J., jt.author. *See* D'Urso, P.S.
Eisenberg, M. and Llewelyn, D. Surgical management of hands in children with recessive dystrophic epidermolysis bullosa: use of allogeneic composite cultured skin grafts, 608
Enomoto, H., jt.author. *See* Yoshida, T.
Eroğlu, L., Karacaoğlan, N. and Demir, A. The further uses of the surgical glove (correspondence), 325
Evans, G.R.D., jt.author. *See* Kroll, S.S.
Evans, J., jt.author. *See* Choudhary, S.
Evans, J., jt.author. *See* Koshy, C.E.
Evans, R.D., jt.author. *See* Britto, J.A.

F

Fang, R.H., Kao, Y.S., Ma, S. and Lin, J.T. Glans sculpting in phalloplasty: experiences in female-to-male transsexuals, 376
Farallo, E., jt.author. *See* Bracaglia, R.
Fisher, C., jt.author. *See* Lloyd, R.V.
Fitzpatrick, R., jt.author. *See* Klassen, A.
Forders, M., jt.author. *See* Chana, J.S.
Fortunato, R., jt.author. *See* Bracaglia, R.
Foy, C., jt.author. *See* Horlock, N.
Frampton, C., jt.author. *See* Murton, S.A.
Franken, R.J.P.M., Kon, M., Barker, J.H. and Banis, J.C. Jr. Microsurgery without a microscope (correspondence), 261
Fu-Chan Wei, jt.author. *See* Chwei-Chin Chuang, D.
Fujii, T., jt.author. *See* Mutaf, M.
Fujii, T., jt.author. *See* Tanaka, K.
Fujimura, K., jt.author. *See* Kusumoto, K.
Fujita, T., jt.author. *See* Kamibayashi, Y.
Fukuta, K., Saito, K. and Potparic, Z. A comparison of single-stage versus gradual fronto-parietal advancement in terms of extradural dead space and bone deposition, 169

G

Gault, D.T., jt.author. *See* Grover, R.
Gault, D.T., jt.author. *See* Vogelin, E.
Geishauser, M., Staudenmaier, R.W. and Biemer, E. Donor-site morbidity of the segmental rectus abdominis muscle flap, 603
Georgantopoulou, A.A., Al-Nakib, K. and Quaba, A.A. Treatment of arborising telangiectasia with pulsed tunable dye laser (SPTL-1b), 614
Georgantopoulou, A.A. and Milling, M.A.P. Cutting diathermy for removal of implants (correspondence), 486
Germann, G. Closure of the skin defect overlying infected non-union by skin traction (correspondence), 572
Germann, G., Cedidi, C., Petracic, A., Kallinowski, F. and Herrfarth, C. The partial gluteus maximus musculocutaneous turnover flap. An alternative concept for simultaneous reconstruction of combined defects of the posterior perineum/sacrum and the posterior vaginal wall, 620
Gibson, T. Stratified squamous skin (classic reprint: verse), 579
Gilchrist, T., Glasby, M.A., Healy, D.M., Kelly, G., Lenihan, D.V., McDowall, K.L., Miller, I.A. and Myles, L.M. In vitro nerve repair – in vivo. The reconstruction of peripheral nerves by entubulation with biodegradeable glass tubes – a preliminary report, 231
Giraldo, F., Grado, J. de and Bengoechea, M. Pubis osteomyelitis treated with a turn-over rectus abdominis flap (case report), 413
Giunta, R. and Lukas, B. Impossible harvest of the posterior interosseous artery flap: a report of an individualised salvage procedure (case report), 642
Glasby, M.A., jt.author. *See* Gilchrist, T.
Glasby, M.A., jt.author. *See* Lenihan, D.V.
Glyantsev, S.P., jt.author. *See* Mitish, V.A.
Godwin, Y., Wood, S.H. and O'Neil, T.J. A comparison of the patient and surgeon opinion on the long-term aesthetic outcome of reduction mammaplasty, 444
Golcman, B., jt.author. *See* Golcman, R.
Golcman, R., Speranzini, M.B. and Golcman, B. The bilobed island flap in nasal ala reconstruction, 493
Goodacre, T., jt.author. *See* Klassen, A.
Gordon, D.J., jt.author. *See* Hill, C.
Grado, J. de, jt.author. *See* Giraldo, F.
Green, A.R. Training of overseas doctors in plastic surgery (correspondence), 324
Green, C.J., jt.author. *See* Thorniley, M.S.
Greig, J.R., jt.author. *See* Pereira, J.A.
Grippaudo, F.R. and Kennedy, D.C. Oromandibular-limb hypogenesis syndromes: a case of aglossia with an intraoral band (case report), 480
Grobbelaar, A.O., jt.author. *See* Chana, J.S.
Grobbelaar, A.O., jt.author. *See* Grover, R.
Grobbelaar, A.O., jt.author. *See* Horlock, N.
Grobbelaar, A.O., jt.author. *See* Vogelin, E.
Grond, A.J.K., jt.author. *See* Scholten, E.
Grover, R., Grobbelaar, A.O., Morgan, B.D.G. and Gault, D.T. A quantitative method for the assessment of facial rejuvenation: a prospective study investigating the carbon dioxide laser, 8
Grover, R., Richman, P.I. and Gault, D.T. Predicting the outcome of laser treatment for pigmented lesions, 51
Grover, R., jt.author. *See* Chana, J.S.
Günay, G.K., jt.author. *See* Özyazgan, İ.

H

Haas, F., jt.author. *See* Kenner, L.
Habiballah, J., Anan, G., Abanmi, A. and Mrad, M. Atypical presentation of cutaneous B-cell lymphoma (correspondence), 145
Harii, K., jt.author. *See* Yonehara, Y.

Hart, N.B., jt.author. *See* Ramakrishnan, V.
Hashim, F., jt.author. *See* Saleem, M.
Hayashi, A., Maruyama, Y., Saze, M. and Okada, E. The lateral thigh V-Y flap for the repair of ischial defects, 113
Hayward, R.D., jt.author. *See* Britto, J.A.
Healy, D.M., jt.author. *See* Gilchrist, T.
Heijningen, R.I. van, Mannaerts, G.H.H., Blondeel, P.N. and Spauwen, P.H.M. PLink, plastic surgery and the Internet, 86
Herrfarth, C., jt.author. *See* Germann, G.
Hikiji, H., jt.author. *See* Yonehara, Y.
Hill, C., Riaz, M. and Gordon, D.J. Distally based flaps – contraindicated in the obese? (correspondence), 652
Hirabyayshi, S., jt.author. *See* Yonehara, Y.
Hiraga, Y., jt.author. *See* Hwang, K.
Ho, Y.-S., jt.author. *See* Chuang, D.C.-C.
Hoefler, G., jt.author. *See* Kenner, L.
Holmes, A., jt.author. *See* D'Urso, P.S.
Holten, I., jt.author. *See* Banwell, P.
Hong, S.W. Deep frontotemporal dermoid cyst presenting as a discharging sinus: a case report and review of the literature, 255
Hong-Jen Wang, jt.author. *See* Sin-Daw Lin
Horlock, N., Wilson, G.D., Daley, F.M., Richman, P.I., Grobbelaar, A.O., Sanders, R. and Foy, C. Cellular proliferation characteristics do not account for the behaviour of horrifying basal cell carcinoma. A comparison of the growth fraction of horrifying and non horrifying tumours, 59
Hu, D., Hughes, M.A. and Cherry, G.W. Topical tamoxifen – a potential therapeutic regime in treating excessive dermal scarring?, 462
Hudson, D.A., jt.author. *See* Chana, J.S.
Hughes, M.A., jt.author. *See* Hu, D.
Hurley, J.V., jt.author. *See* Crowe, D.M.
Hwang, K., Kim, D.J., Chung, R.S., Lee, S.I. and Hiraga, Y. An anatomical study of the junction of the orbital septum and the levator aponeurosis in orientals, 594

I

Iizuka, T., jt.author. *See* Kusumoto, K.
Imai, A., jt.author. *See* Kamibayashi, Y.
Inomoto, T., jt.author. *See* Tanaka, Y.
Ion, L., jt.author. *See* Pereira, J.A.
Iqbal, A., Cormack, G.C. and Scerri, G. Hereditary multiple glomangiomas, 32
Iqbal, A. and Newman, P. Ceruminous gland neoplasia (case report), 317
Isono, N., jt.author. *See* Takeuchi, M.
Itoman, M., jt.author. *See* Nakamura, K.

J

James, N., jt.author. *See* Lloyd, R.V.
Janko, M., jt.author. *See* Ahčan, U.
Jenkinson, C., jt.author. *See* Klassen, A.
Johnson, D. and Coleman, D.J. The selective use of a single-stage and a two-stage technique for hypospadias correction in 157 consecutive cases with the aim of normal appearance and function, 195
Jones, B.M., jt.author. *See* Britto, J.A.
Jones, B.P., jt.author. *See* Starley, I.F.
Jones, T., jt.author. *See* Mahdi, S.

K

Kallinowski, F., jt.author. *See* Germann, G.
Kamibayashi, Y., Abe, S., Fujita, T., Imai, A., Komatsu, K. and Yamamoto, Y. Congenital ectopic nail with bone deformity, 321
Kane, A.J., jt.author. *See* Theile, D.R.B.
Kao, Y.S., jt.author. *See* Fang, R.H.
Karacaoğlan, N., jt.author. *See* Akbaş, H.
Karacaoğlan, N., jt.author. *See* Eroğlu, L.
Kawai, K., jt.author. *See* Suzuki, S.
Kay, A.R., Kenealy, J. and Mercer, N.S.G. Successful treatment of a giant congenital melanocytic naevus with the high energy pulsed CO_2 laser (case report), 22
Kay, S.P.J. Obstetrical brachial palsy (review), 43
Keçik, A., jt.author. *See* Kostakoğlu, N.
Kelly, C.G., jt.author. *See* Camilleri, I.G.
Kelly, C.G., jt.author. *See* Stavrianos, S.D.
Kelly, G., jt.author. *See* Gilchrist, T.
Kelly, M.B.H. 'Tusked' forceps for rapid and atraumatic subcuticular closure of the skin, 124
Kenealy, J., jt.author. *See* Kay, A.R.
Kennedy, D.C., jt.author. *See* Grippaudo, F.R.
Kenner, L., Schwarzl, F., Moshammer, H., Haas, F., Hoefler, G. and Pierer, G. Venous thrombosis in a replanted finger with underlying factor V Leiden mutation (case report), 57
Keser, A., jt.author. *See* Çelebioğlu, S.
Khan, F.T., jt.author. *See* Matthews, R.N.
Kim, B.M., jt.author. *See* Suzuki, S.
Kim, D.J., jt.author. *See* Hwang, K.
Kim, K.A. and Chandrasekhar, B.S. Cephalic vein in salvage microsurgical reconstruction in the head and neck, 2
Kimura, M., jt.author. *See* Nakamura, K.
Kitahara, A.K., Suzuki, Y., Zhan, C.W., Wada, H. and Nishimura, Y. Evaluation of new improved solution containing trehalose in free skin flap storage, 118
Klassen, A., Jenkinson, C., Fitzpatrick, R. and Goodacre, T. Measuring quality of life in cosmetic surgery patients with a condition-specific instrument: the Derriford Scale, 380
Knight, K.R., jt.author. *See* Willemart, G.
Kobayashi, K., jt.author. *See* Tanaka, K.
Kobayashi, S., jt.author. *See* Nagase, T.
Kocialkowski, A., Marsh, D.R. and Shackley, D.C. Closure of the skin defect overlying infected non-union by skin traction, 307
Kocialkowski, A., jt.author. *See* Marsh, D.
Komatsu, K., jt.author. *See* Kamibayashi, Y.
Komori, T., jt.author. *See* Yonehara, Y.
Kon, M., jt.author. *See* Franken, R.J.P.M.
Konstantinović, V.S. and Dimić, N.D. Articulatory function and tongue mobility after surgery followed by radiotherapy for tongue and floor of the mouth cancer patients, 589
Koshy, C., jt.author. *See* Choudhary, S.
Koshy, C.E. and Evans, J. Facial contour reconstruction in localised lipodystrophy using free radial forearm adipofascial flaps, 499
Koshy, C.E. and Taams, K.O. A five-year review of islanded distally based fasciocutaneous flaps on the lower limb (correspondence), 264
Kostakoğlu, N. and Keçik, A. Deep inferior epigastric artery (DIEA) skin flap: clinical experience of 15 cases, 25
Kroll, S.S. Bilateral breast reconstruction in very thin patients with extended free TRAM flaps, 535
Kroll, S.S., Robb, G.L., Miller, M.J., Reese, G.P. and Evans, G.R.D. Reconstruction of posterior mandibular defects with soft tissue using the rectus abdominis free flap, 503
Kumar, M., DeBono, R. and Sommerlad, B.C. Metastatic malignant melanoma of unknown primary site: a case of a possible primary declaring itself 18 months after the secondaries (case report), 258
Kung, F.-P., jt.author. *See* Lin, S.-D.
Kusumoto, K., Bessho, K., Fujimura, K., Akioka, J., Ogawa, Y. and Iizuka, T. Prefabricated muscle flap including bone induced by recombinant human bone morphogenetic protein-2: an experimental study of ectopic osteoinduction in a rat latissimus dorsi muscle flap, 275
Kwai Ben, I., jt.author. *See* Telfer, J.R.C.

L

Labbé, D., jt.author. *See* Dompmartin, A.
Lai, C.-S., jt.author. *See* Lin, S.-D.
Landuyt, K. Van, jt.author. *See* Blondeel, P.N.
Lanigan, M.W., jt.author. *See* D'Urso, P.S.
Lee, S.I., jt.author. *See* Hwang, K.
Lei, B. van der and Spronk, C.A. Reconstruction of non-marginal ear defect by a postauricular wedge transposition flap, 14
Lenihan, D.V., Carter, A.J. and Glasby, M.A. An electrophysiological and morphological comparison of the microwave muscle graft and the freeze-thawed muscle graft, 300
Lenihan, D.V., jt.author. *See* Gilchrist, T.

Liddy, H., jt.author. *See* Pereira, J.A.
Lin, C.H., jt.author. *See* Lutz, B.S.
Lin, J.T.., jt.author. *See* Fang, R.H.
Lin, S.-D., Chou, C.-K., Lin, T.-M., Wang, H.-J. and Lai, C.-S. The distally based lateral adipofascial flap, 96
Lin, S.-D., Wang, H.-J., Chou, C.-K., Kung, F.-P. and Lai, C.-S. Endoscopically-assisted adipofascial flap harvest for soft tissue defects of the lower leg, 38
Lin, T.-M., jt.author. *See* Lin, S.-D.
Lindenbaum, E., jt.author. *See* Shoshani, O.
Llewelyn, D., jt.author. *See* Eisenberg, M.
Lloyd, R.V., James, N., Breach, N.M. and Fisher, C. Development of ganglioneuroma following successful treatment for orbital rhabdomyosarcoma (case report), 135
Loreti, A., jt.author. *See* Bracaglia, R.
Ludgate, S.M. The Medical Devices Agency (guest editorial), 417
Lukas, B., jt.author. *See* Giunta, R.
Lutz, B.S., Wei, F.C., Chen, H.C., Lin, C.H. and Wei, C.Y. Reconstruction of scalp defects with free flaps in 30 cases, 186

M

Ma, S., jt.author. *See* Fang, R.H.
McDowall, K.L., jt.author. *See* Gilchrist, T.
McGeorge, D.D., jt.author. *See* Mahdi, S.
McGibbon, B.M., jt.author. *See* Nahabedian, M.Y.
McGregor, I.A. and Watson, R. History of the West of Scotland Plastic Surgery Unit: 1940–1986, 333
Macionis, V. Heel replantation (case report), 473
McLean, N.R., jt.author. *See* Bhatty, M.A.
McLean, N.R., jt.author. *See* Camilleri, I.G.
McLean, N.R., jt.author. *See* Stavrianos, S.D.
Maeta, M., jt.author. *See* Ao, M.
Mahdi, S., Jones, T., Nicklin, S. and McGeorge, D.D. Expandable anatomical implants in breast reconstructions: a prospective study, 425
Malata, C.M., jt.author. *See* Camilleri, I.G.
Mannaerts, G.H.H., jt.author. *See* Heijningen, R.I. van
Mantsch, H.H., jt.author. *See* Stranc, M.F.
Marck, K.W., jt.author. *See* Scholten, E.
Marín-Bertolín, S., Amorrortu-Velayos, J. and Aliaga Boniche, A. Squamous cell carcinoma of the tongue in a patient with Rothmund–Thomson syndrome (case report), 646
Marques, M.J., jt.author. *See* Santo Neto, H.
Marsh, D. and Kocialkowski, A. Closure of the skin defect overlying infected non-union by skin traction (correspondence), 572
Marsh, D.R., jt.author. *See* Kocialkowski, A.
Maruyama, Y., jt.author. *See* Hayashi, A.
Masters, J. Reliable, inexpensive and simple suction dressings (correspondence), 267
Masters, J.E. Randomised control trial of pH buffered lignocaine with adrenaline in outpatient operations, 385
Matsumoto, S., jt.author. *See* Yonehara, Y.
Matthews, R.N. and Khan, F.T. A seat belt injury to the female breast (correspondence), 653
Matton, G., jt.author. *See* Blondeel, P.N.
Melli, M., jt.author. *See* Özyazgan, İ.
Mercer, D.M., jt.author. *See* Davison, J.A.
Mercer, N.S.G., jt.author. *See* Kay, A.R.
Miki, K., jt.author. *See* Tanaka, Y.
Miller, I.A., jt.author. *See* Gilchrist, T.
Miller, M.J., jt.author. *See* Kroll, S.S.
Milling, M.A.P., jt.author. *See* Georgantopoulou, A.A.
Mirlohi, H., jt.author. *See* Davison, J.A.
Mitchell, G., jt.author. *See* Theile, D.R.B.
Mitchell, G.M., jt.author. *See* Crowe, D.M.
Mitish, V.A., Svetukhin, A.M. and Glyantsev, S.P. Pressure sores in pregnancy (correspondence), 573
Mochimatsu, I., jt.author. *See* Yoshida, T.
Mohammed, P., jt.author. *See* Starley, I.F.
Mohan, D., jt.author. *See* Venkataramakrishnan, V.
Monstrey, S.J., jt.author. *See* Blondeel, P.N.
Morgan, B.D.G., jt.author. *See* Grover, R.
Morrison, W.A., jt.author. *See* Crowe, D.M.
Morrison, W.A., jt.author. *See* Theile, D.R.B.
Morrison, W.A., jt.author. *See* Willemart, G.
Moshammer, H., jt.author. *See* Kenner, L.
Moss, A.L.H., jt.author. *See* Pereira, J.A.
Mrad, M., jt.author. *See* Habiballah, J.
Mukae, N., jt.author. *See* Tanaka, K.
Murakami, R., jt.author. *See* Tanaka, K.
Murphy, J.V., jt.author. *See* Banwell, P.E.
Murton, S.A., Tan, S.T., Prickett, T.C.R., Frampton, C. and Donald, R.A. Hormone responses to stress in patients with major burns, 388
Mutaf, M., Tasaki, Y. and Fujii, T. Expansion of venous flaps: an experimental study in rats, 393
Myles, L.M., jt.author. *See* Gilchrist, T.

N

Nada, Y., Sasaki, K., Nozaki, M. and Soejima, K. Congenital partial absence of the facial muscles (case report), 138
Nada, Y., jt.author. *See* Sasaki, K.
Nagase, T., Kobayashi, S. and Ohmori, K. Achieving natural shading of the nostril in the reconstruction of a half nose, 131
Nagase, Y., jt.author. *See* Ao, M.
Nahabedian, M.Y. and McGibbon, B.M. Thermal injuries in autogenous tissue breast reconstruction, 599
Nakagawa, F., jt.author. *See* Ao, M.
Nakajima, T. and Yoshimura, Y. Secondary repair of unilateral cleft lip nose deformity with bilateral reverse-U access incision, 176
Nakajima, T., Yoshimura, Y., Yoneda, K. and Nakanishi, Y. Primary repair of an incomplete unilateral cleft lip: avoiding an elongated lip and achieving a straight suture line, 511
Nakamura, K., Yokoyama, K., Kimura, M., Nakamura, K. and Itoman, M. Time course of superoxide generation in reperfusion after arterial ischaemia and venous congestion, 633
Nakamura, K., jt.author. *See* Nakamura, K.
Nakanishi, Y., jt.author. *See* Nakajima, T.
Nakano, A., jt.author. *See* Yoshida, T.
Nakasuka, T., jt.author. *See* Yonehara, Y.
Nancarrow, J.D., jt.author. *See* Thomas, S.S.
Naylor, I.L., jt.author. *See* Spyrou, G.E.
Newman, P., jt.author. *See* Iqbal, A.
Niazi, L., jt.author. *See* Crowe, D.M.
Nicklin, S., jt.author. *See* Mahdi, S.
Nicolle, F.V. Anaesthetic plastic surgery and the future plastic surgeon (Sir Harold Gillies Memorial Lecture), 419
Ninkovic, M.M., jt.author. *See* Schwabegger, A.H.
Nishimura, Y., jt.author. *See* Kitahara, A.K.
Nishimura, Y., jt.author. *See* Suzuki, S.
Nozaki, M., jt.author. *See* Nada, Y.
Nozaki, M., jt.author. *See* Sasaki, K.
Nozaki, M., jt.author. *See* Takeuchi, M.

O

Ogawa, Y., jt.author. *See* Kusumoto, K.
Ohmori, K., jt.author. *See* Nagase, T.
Okada, E., jt.author. *See* Hayashi, A.
O'Neill, T.J., jt.author. *See* Godwin, Y.
Ortak, T., jt.author. *See* Çelebioğlu, S.
Otto, A., Wechselberger, G. and Schoeller, T. Ischial pressure sore coverage: a rationale for flap selection (correspondence), 260
Otto, A., jt.author. *See* Schoeller, T.
Özcan, G., jt.author. *See* Borman, H.
Özyazgan, İ., Tercan, M., Bekerecioğlu, M., Melli, M., Üstün, H. and Günay, G.K. Defibrotide activity in experimental frostbite injury, 450

P

Panda, K.N., jt.author. *See* Agrawal, K.
Papp, C., jt.author. *See* Schoeller, T.
Peddi, N.C., jt.author. *See* Telfer, J.R.C.

Peled, Y., jt.author. *See* Shoshani, O.
Pereira, J.A., Greig, J.R., Liddy, H., Ion, L. and Moss, A.L.H. Leech-borne *Serratia marcescens* infection following complex hand injury (case report), 640
Petracic, A., jt.author. *See* Germann, G.
Pierer, G., jt.author. *See* Kenner, L.
Piggot, T.A., jt.author. *See* Bhatty, M.A.
Piggot, T.A., jt.author. *See* Stavrianos, S.D.
Planinšek, F., jt.author. *See* Arnež, Z.M.
Pommer, B., jt.author. *See* Schoeller, T.
Potparić, Z. and Colen, L.B. A 5-year review of islanded distally based fasciocutaneous flaps on the lower limb (correspondence), 651
Potparić, Z., jt.author. *See* Fukuta, K.
Powell, B.W.E.M., jt.author. *See* Ragoowansi, R.
Prickett, T.C.R., jt.author. *See* Murton, S.A.

Q

Quaba, A.A., jt.author. *See* Georgantopoulou, A.A.
Quaba, A.A., jt.author. *See* Telfer, J.R.C.

R

Ragoowansi, R., Thomas, V. and Powell, B.W.E.M. Cutaneous meningioma of the scalp: a case report and review of literature, 402
Ramakrishnan, V., Southern, S., Hart, N.B. and Tzafetta, K. Endoscopically assisted gracilis harvest for use as a free and pedicled flap, 580
Ramakrishnan, V., jt.author. *See* Southern, S.
Ramakrishnan, V., jt.author. *See* Southern, S.J.
Ramon, Y., jt.author. *See* Shoshani, O.
Raposio, E. and Santi, P.L. Pharmacological enhancement of cutaneous flap survival with topical dimethyl sulphoxide and hydrogen peroxide, 551
Reese, G.P., jt.author. *See* Kroll, S.S.
Reid, C., jt.author. *See* Sylaidis, P.
Rhomberg, M., jt.author. *See* Schwabegger, A.H.
Riaz, M., jt.author. *See* Hill, C.
Riaz, M., jt.author. *See* Singh, S.
Richards, M. Reconstruction of an extensive scalp defect (correspondence), 649
Richards, S.W. and Belcher, H.J.C.R. Emergency endoscopic carpal tunnel decompression (correspondence), 263
Richman, P.I., jt.author. *See* Grover, R.
Richman, P.I., jt.author. *See* Horlock, N.
Robb, G.L., jt.author. *See* Kroll, S.S.
Roberts, A.H.N., jt.author. *See* Banwell, P.E.
Romeo, R., jt.author. *See* Theile, D.R.B.
Rowsell, A., jt.author. *See* Coates, J.
Rowsell, A.R., jt.author. *See* Davison, J.A.

S

Saito, K., jt.author. *See* Fukuta, K.
Saito, R., jt.author. *See* Ao, M.
Sakai, N., jt.author. *See* Yoshida, T.
Saleem, M., Hashim, F. and Babu Manchar, M. Compartment syndrome following free fibular osteocutaneous flap, 405
Sanders, R. Plastic Surgery Forum (correspondence), 260
Sanders, R., jt.author. *See* Chana, J.S.
Sanders, R., jt.author. *See* Horlock, N.
Santi, P.L., jt.author. *See* Raposio, E.
Santo Neto, H., Teodori, R.M., Somazz, M.C. and Marques, M.J. Axonal regeneration through muscle autografts submitted to local anaesthetic pretreatment, 555
Sasaki, K., Nozaki, M., Nada, Y. and Yamaki, T. Functional reconstruction of forehead with microneurovascular transfer of attenuated and broadened gracilis muscle (case report), 313
Sasaki, K., Nozaki, M. and Takeuchi, M. Thumb reconstruction, after Marjolin's ulcer resection by microvascular transfer of a burn-contracted little finger: a case report of spare part surgery, 126
Sasaki, K., jt.author. *See* Nada, Y.
Sasaki, K., jt.author. *See* Takeuchi, M.
Sassoon, E., jt.author. *See* Arnež, Z.M.
Saze, M., jt.author. *See* Hayashi, A.
Scerri, G., jt.author. *See* Iqbal, A.
Schoeller, T., Otto, A., Wechselberger, G., Pommer, B. and Papp, C. Distal nerve entrapment following nerve repair, 227
Schoeller, T., jt.author. *See* Otto, A.
Scholten, E., Marck, K.W. and Grond, A.J.K. Surgical correction of floppy eyelids (correspondence), 265
Schwabegger, A.H., Rhomberg, M., Ninkovic, M.M. and Stenzl, A. Saphenous nerve neuralgia after gracilis muscle flap harvest (correspondence), 410
Schwarzl, F., jt.author. *See* Kenner, L.
Shackley, D.C., jt.author. *See* Kocialkowski, A.
Shakespeare, V., jt.author. *See* Cole, R.P.
Shao-Lung Cheng, jt.author. *See* Chwei-Chin Chuang, D.
Sharpe, D.T., jt.author. *See* Collis, N.
Shimizu, S., jt.author. *See* Yoshida, T.
Shin-ya, K., jt.author. *See* Suzuki, S.
Shoshani, O., Shupak, A., Barak, A., Ullman, Y., Ramon, Y., Lindenbaum, E. and Peled, Y. Hyperbaric oxygen therapy for deep second degree burns: an experimental study in the guinea pig, 67
Shupak, A., jt.author. *See* Shoshani, O.
Shurey, C.B., jt.author. *See* Thorniley, M.S.
Sin-Daw Lin, Chih-Kang Chou, Tsai-Ming Lin, Hong-Jen Wang and Chung-Sheng Lai. The distally based lateral adipofascial flap, 96
Sinclair, J.S., jt.author. *See* Thorniley, M.S.
Singh, S., Riaz, M., Wilmshurst, A.D. and Small, J.O. Radial artery aneurysm in a case of neurofibromatosis (case report), 564
Small, J.O., jt.author. *See* Singh, S.
Smith, P.J., jt.author. *See* Tan, S.T.
Soames, J.V., jt.author. *See* Bhatty, M.A.
Soames, J.V., jt.author. *See* Stavrianos, S.D.
Soejima, K., jt.author. *See* Nada, Y.
Somazz, M.C., jt.author. *See* Santo Neto, H.
Sommerlad, B.C., jt.author. *See* Kumar, M.
Southern, S. and Ramakrishnan, V. Adaptation to the loss of the stereoscopic image in microsurgery? (correspondence), 570
Southern, S. and Ramakrishnan, V. The digital second opinion (correspondence), 650
Southern, S., jt.author. *See* Ramakrishnan, V.
Southern, S.J. and Ramakrishnan, V. Endoscopic join the dots! (correspondence), 484
Sowa, M.G., jt.author. *See* Stranc, M.F.
Spauwen, P.H.M., jt.author. *See* Heijningen, R.I. van
Speranzini, M.B., jt.author. *See* Golcman, R.
Spronk, C.A., jt.author. *See* Lei, B. van der
Spyrou, G.E., Watt, D.A.L. and Naylor, I.L. The origin and mode of fibroblast migration and proliferation in granulation tissue, 455
Srivasta, S., jt.author. *See* Thomas, S.S.
Stanec, S. and Stanec, Z. Ulnar nerve reconstruction by the expanded polytetrafluoroethylene conduit (case report), 637
Stanec, Z., jt.author. *See* Stanec, S.
Stanley, P.R.W., jt.author. *See* Collis, N.
Starley, I.F., Bryden, D.C., Tagari, S., Mohammed, P. and Jones, B.P. An investigation into changes in lung function and the subjective medical benefits from breast reduction surgery, 531
Staudenmaier, R.W., jt.author. *See* Geishauser, M.
Stavrianos, S.D., Camilleri, I.G., McLean, N.R., Piggot, T.A., Kelly, C.G. and Soames, J.V. Malignant tumours of the maxillary complex: an 18-year review, 584
Stenzl, A., jt.author. *See* Schwabegger, A.H.
Stewart, A.G., jt.author. *See* Theile, D.R.B.
Stranc, M.F., Sowa, M.G., Abdulrauf, B. and Mantsch, H.H. Assessment of tissue viability using near-infrared spectroscopy, 210
Sugihara, T., jt.author. *See* Yamamoto, Y.
Susami, T., jt.author. *See* Yonehara, Y.
Suzuki, S., Um, S.C., Kim, B.M., Shi-ya, K., Kawai, K. and Nishimura, Y. Versatility of modified planimetric Z-plasties in the treatment of scar with contracture, 363
Suzuki, Y., jt.author. *See* Kitahara, A.K.

Svetukhin, A.M., jt.author. *See* Mitish, V.A.
Sylaidis, P. The impact of outpatient department wall charts on physician compliance with skin cancer follow-up protocols (correspondence), 412
Sylaidis, P. and Reid, C. Incremental increases in Breslow thickness of thick melanoma have a linear effect on mortality (correspondence), 484

T

Taams, K.O., jt.author. *See* Choudhary, S.
Taams, K.O., jt.author. *See* Koshy, C.E.
Tagari, S., jt.author. *See* Starley, I.F.
Tajima, S., jt.author. *See* Tanaka, Y.
Takato, T., jt.author. *See* Yonehara, Y.
Takeuchi, M., Nozaki, M., Sasaki, K. and Isono, N. Endoscopically assisted tissue expander insertion using balloon dissection, 90
Takeuchi, M., jt.author. *See* Sasaki, K.
Tan, S.T. and Smith, P.J. Reversed extensor indicis proprius muscle and dorsal wrist pain (case report), 128
Tan, S.T., jt.author. *See* Murton, S.A.
Tanaka, K., Kobayashi, K., Murakami, R., Tasaki, Y., Fujii, T. and Mukae, N. Venous drainage through bone marrow after replantation: an experimental study, 629
Tanaka, Y., Miki, K., Tajima, S., Akamatsu, J., Tsukazaki, T. and Inomoto, T. Reconstruction of an extensive scalp defect using the split latissimus dorsi flap in combination with the serratus anterior musculo-osseous flap, 250
Tasaki, Y., jt.author. *See* Mutaf, M.
Tasaki, Y., jt.author. *See* Tanaka, K.
Telfer, J.R.C., Quaba, A.A., Kwai Ben, I. and Peddi, N.C. An investigation into the role of waterproofing in a two-stage hypospadias repair, 542
Tempest, M.N. The *British Journal of Plastic Surgery* (historical reprint), 154
Teodori, R.M., jt.author. *See* Santo Neto, H.
Tercan, M., jt.author. *See* Özyazgan, İ.
Theile, D.R.B., Kane, A.J., Romeo, R., Mitchell, G., Crowe, D., Stewart, A.G. and Morrison, W.A. A model of bridging angiogenesis in the rat, 243
Theodoropoulos, D.S. Familial multiple glomus tumours: differential diagnosis and relation to carotid body/glomus jugulare tumours (correspondence), 571
Théron, J., jt.author. *See* Dompmartin, A.
Thomas, S.S., Srivasta, S. and Nancarrow, J.D. Closed method of dilute adrenaline infiltration in reduction mammoplasty (correspondence), 412
Thomas, V., jt.author. *See* Ragoowansi, R.
Thompson, R.G., jt.author. *See* D'Urso, P.S.
Thorniley, M.S., Sinclair, J.S., Barnett, N.J., Shurey, C.B. and Green, C.J. The use of near-infrared spectroscopy for assessing flap viability during reconstructive surgery, 218
Titley, O.G. and Bracka, A. A 5-year audit of trainees experience and outcomes with two-stage hypospadias surgery, 370
Tonnard, P., jt.author. *See* Blondeel, P.N.
Townend, J. Naming of parts: a presentation of facial surface anatomical terms (correspondence), 572
Tsai-Ming Lin, jt.author. *See* Sin-Daw Lin
Tsukazaki, T., jt.author. *See* Tanaka, Y.
Tzafetta, K., jt.author. *See* Ramakrishnan, V.

U

Ullman, Y., jt.author. *See* Shoshani, O.
Um, S.C., jt.author. *See* Suzuki, S.
Üstün, H., jt.author. *See* Özyazgan, İ.
Uysal, A., jt.author. *See* Akbaş, H.

V

Valdatta, L., jt.author. *See* Arnež, Z.M.
van der Lei, B. and Spronk, C.A. Reconstruction of non-marginal ear defect by a postauricular wedge transposition flap, 14
van Heijningen, R.I., Mannaerts, G.H.H., Blondeel, P.N. and Spauwen, P.H.M. PLink, plastic surgery and the Internet, 86
Van Landuyt, K., jt.author. *See* Blondeel, P.N.
Venkataramakrishnan, V., Mohan, D. and Villafane, O. Perforator based V-Y advancement flaps in the leg, 431
Verhaeghe, R., jt.author. *See* Blondeel, P.N.
Villafane, O., jt.author. *See* Venkataramakrishnan, V.
Vogelin, E., Grobbelaar, A.O., Chana, J.S. and Gault, D.T. Surgical correction of the cauliflower ear, 359

W

Wada, H., jt.author. *See* Kitahara, A.K.
Wang, H.-J., jt.author. *See* Lin, S.-D.
Ward, C.M. Consenting and consulting for cosmetic surgery, 547
Watson, R., jt.author. *See* McGregor, I.A.
Watt, D.A.L., jt.author. *See* Spyrou, G.E.
Watts, A.M.I., jt.author. *See* Banwell, P.E.
Wechselberger, G., jt.author. *See* Otto, A.
Wei, C.Y., jt.author. *See* Lutz, B.S.
Wei, F.-C., jt.author. *See* Chuang, D.C.-C.
Wei, F.C., jt.author. *See* Lutz, B.S.
Weng, C-J. Surgical reconstruction in cryptophthalmos (case report), 17
Weschelberger, G., jt.author. *See* Schoeller, T.
Willemart, G., Knight, K.R. and Morrison, W.A. Dexamethasone treatment prior to reperfusion improves the survival of skin flaps subjected to secondary venous ischaemia, 624
Wilmshurst, A.D., jt.author. *See* Singh, S.
Wilson, G.D., jt.author. *See* Chana, J.S.
Wilson, G.D., jt.author. *See* Horlock, N.
Withey, S., jt.author. *See* Banwell, P.
Wood, S.H., jt.author. *See* Godwin, Y.
Wu, C.-L., jt.author. *See* Chuang, D.C.-C.

Y

Yamaki, T., jt.author. *See* Sasaki, K.
Yamamoto, Y. and Sugihara, T. Application of reduction mammaplasty in treatment of giant breast tumour, 109
Yamamoto, Y., jt.author. *See* Kamibayashi, Y.
Yat-Sen Ho,jt.author. *See* Chwei-Chin Chuang, D.
Yokoyama, K., jt.author. *See* Nakamura, K.
Yoneda, K., jt.author. *See* Nakajima, T.
Yonehara, Y., Takato, T., Harii, K., Hirabayashi, S., Susami, T., Komori, T., Matsumoto, S., Hikiji, H. and Nakatsuka, T. Secondary lengthening of the reconstructed mandible using gradual distraction technique – two case reports, 356
Yoshida, T., Shimizu, S., Sakai, N., Mochimatsu, I., Enomoto, H. and Nakano, A. Expansion of the oral end of free revascularised jejunum with a jejunal patch flap rotated like a folding fan, 103
Yoshimura, Y., jt.author. *See* Nakajima, T.

Z

Zhan, C.W., jt.author. *See* Kitahara, A.K.

British Journal of Plastic Surgery (1998), **51**, 665–669
© 1998 The British Association of Plastic Surgeons

Subject Index

A

Adipofascial flaps
distally based lateral, 96
free radial forearm, facial contour reconstruction in localised lipodystrophy, 499
soft tissue defects of lower leg, endoscopically-assisted harvest, 38, 484(correspondence)
Adrenaline, dilute, closed method of infiltration in reduction mammaplasty (correspondence), 411
Aesthetic plastic surgery and the future plastic surgeon: Sir Harold Gillies Memorial Lecture, 419
Aglossia with intraoral band (case report), 480
Anaesthesia: trial of pH buffered lignocaine with adrenaline in outpatients, 385
Angiogenesis, bridging, model, 243
Antibiotics, prophylactic, questionnaire-based study on use by plastic surgeons in UK (correspondence), 569
Arterial ischaemia, reperfusion after, time course of superoxide generation, 633
Arteriovenous malformation of scalp, use of regulating flap in treatment (case report), 561
Axonal regeneration following end-to-side neurorrhaphy, variables affecting, 238

B

Basal cell carcinoma, comparison of growth fraction of horrifying and non-horrifying tumours, 59
Biomodelling, stereolithographic, in craniofacial surgery, 522
Bone induction in prefabricated muscle flap by recombinant human bone morphogenetic protein-2, 275
Bone morphogenetic protein-2, recombinant human, bone induction in prefabricated muscle flap, 275
Brachial palsy, obstetrical (review), 43
Breast
giant hamartoma, treatment using reduction mammaplasty technique, 109
implants
expandable anatomical, 425
removal using cutting diathermy (correspondence), 486
silicone: complications (correspondence), 412
survey of information provided by cosmetic clinics, 311
reconstruction
accidental burn following (correspondence), 486
expandable anatomical implants, 425
thermal injuries in autogenous tissue reconstruction, 599
use of extended free TRAM flaps in very thin patients, 535
reduction
aesthetic outcome: comparison of patient and surgeon opinion, 444
application of reduction mammaplasty in treatment of giant tumour, 109
changes in lung function and subjective medical benefits, 531
closed method of dilute adrenaline infiltration (correspondence), 411
measuring patient-based outcomes (correspondence), 79
seat belt injury (correspondence), 653
British Journal of Plastic Surgery
50th anniversary, 153
history, 154
Burns
friction, tourniquet as cause (case report), 142
hyperbaric oxygen therapy for deep second degree burns: experimental study, 67
immunosuppression following injury (correspondence), 411
major, hormone responses to stress, 388
reconstructed breast, 486 (correspondence), 599

C

c-myc oncogene expression, prognostic value in melanomas of scalp, 191
Carpal tunnel decompression, emergency endoscopic (correspondence), 263
Cephalic vein in salvage microsurgical reconstruction of head and neck, 2
Ceruminous gland neoplasia (case report), 317
Cleft lip, incomplete unilateral, primary repair avoiding elongated lip and achieving straight suture line, 511
Cleft lip and/or palate, treatment in the UK: Clinical Standards Advisory Group Report (guest editorial), 167
Cleft lip nose, secondary repair of unilateral deformity with bilateral reverse-U access incision, 176
Cleft lip and palate, modified diagram of Friedman's symbolic representation of anomalies, 281
Cold storage of femoral artery and vein autografts, long-term studies, 291
Compartment syndrome in free fibula osteocutaneous flap donor site (case report), 405
Consent, cosmetic surgery, 547
Consultation, cosmetic surgery, 547
Contractures, scar
modified planimetric Z-plasties, 363
topical tamoxifen treatment, 462
Cosmetic surgery
consenting and consulting, 547
quality of life measurement using Derriford Scale, 380
Craniofacial surgery, stereolithographic biomodelling, 522
Cranium, giant congenital cellular blue naevus (correspondence), 410
Cryptophthalmos, surgical reconstruction (case report), 17
Cysts, dermoid: frontotemporal cyst presenting as discharging sinus, 255

D

Defibrotide activity in frostbite injury, 450
Dermoid cysts, frontotemporal, presenting as discharging sinus, 255
Derriford Scale, quality of life measurement in cosmetic surgery, 380
Dexamethosone, treatment of ischaemic skin flaps prior to reperfusion, effect on flap survival, 624
Diathermy, cutting, for removal of implants (correspondence), 486
Dimethyl sulphoxide, topical, enhancement of cutaneous flap survival, 551
Distraction techniques
maxillary distraction osteogenesis, ocular protection in Pfeiffer's syndrome, 343
secondary lengthening of reconstructed mandible using gradual distraction, 356
Doppler flowmetry, use in planning of perforator flaps, 202
Dressings, suction (correspondence), 267

E

E-mail, use for obtaining second opinion in hand injuries (correspondence), 650
Ear
cauliflower, surgical correction, 359
reconstruction of non-marginal defect by postauricular wedge transposition flap, 14
Ear lobe, pressure clip, keloid therapy, 122
Emphysema, subcutaneous, following rhinoplasty (correspondence), 266
Epidermolysis bullosa, recessive dystrophic, surgical management of hands in children, 608

Epigastric flaps, deep inferior
clinical experience of 15 cases, 25
Doppler flowmetry in planning of perforator flaps, 202
Extensor indicis proprius muscle, reversed, dorsal wrist pain and (case report), 128
Eye, surgical reconstruction of cryptophthalmos (case report), 17
Eyelid
floppy, surgical correction (correspondence), 264
orbital septum and levator aponeurosis junction in orientals, 594
upper, reconstruction, modified adjustabie technique to anchor levator muscle to flap, 566

F

Face
contour reconstruction in localised lipodystrophy using free radial forearm adipofascial flaps, 499
defects, treatment using multiple implants of fragmented Gore-Tex® soft tissue patch (correspondence), 144
partial congenital absence of muscles (case report), 138
rejuvenation, laser resurfacing: quantitative method of assessment, 8
surface anatomy terminology (correspondence), 572
Factor V Leiden mutation and venous thrombosis in replanted finger (case report), 57
Fasciocutaneous flaps
distally based, lower limb
five-year review of islanded flaps (correspondence), 264, 651
possible contraindication in the obese (correspondence), 652
perforator based V-Y advancement flaps in leg, 431
Femoral artery grafts, long-term studies of cold-stored autografts, 291
Fibroblast migration and proliferation in granulation tissue, 455
Fibula
free transfer, compartment syndrome in donor site, 405
vascularised graft, combined with anterior thigh flaps for oromandibular reconstruction, 350
Fingers, replanted, venous thrombosis in association with factor V Leiden mutation (case report), 57
Forceps, 'tusked', for rapid and atraumatic subcuticular closure, 124
Forearm flaps, free radial adipofascial, facial contour reconstruction in localised lipodystrophy, 499
Forehead, functional reconstruction with microneurovascular transfer of attenuated and broadened gracilis muscle (case report), 313
Free flaps
compartment syndrome in free fibula osteocutaneous flap donor site (case report), 405
radial forearm adipofascial, facial contour reconstruction in localised lipodystrophy, 499
reconstruction of scalp defects, 186
rectus abdominis, reconstruction of posterior mandibular defects, 503
Free tissue transfer, head and neck, cephalic vein transposition, 2
Friction burns, tourniquet (case report), 142
Fronto-parietal advancement, comparison of single stage versus gradual in terms of extradural dead space and bone deposition, 169
Frontotemporal dermoid cyst presenting as discharging sinus, 255
Frostbite injury, defibrotide activity, 450

G

Ganglioneuroma, development following successful treatment for orbital rhabdomyosarcoma (case report), 135
Glans sculpting, female-to-male transsexuals, 376
Glomangiomas, hereditary multiple, 32
Glomus tumours, familial multiple, differential diagnosis and relation to carotid body/glomus jugulare tumours (correspondence), 571
Glove, surgical, extended uses (correspondence), 325
Gluteal artery, superior perforator flaps, Doppler flowmetry in planning, 202
Gluteus maximus musculocutaneous turnover flap, reconstruction of combined defects of posterior perineum/sacrum and posterior vaginal wall, 620
Gore-Tex®, fragmented soft tissue patch in treatment of Romberg's disease (correspondence), 144
Gracilis muscle
flap harvest
endoscopically assisted, for use as free and pedicled flap, 580
saphenous nerve neuralgia following (correspondence), 410
functional reconstruction of forehead with microneurovascular transfer of attenuated and broadened muscle (case report), 313
Granulation tissue, origin and mode of fibroblast migration and proliferation, 455

H

Hands
children with recessive dystrophic epidermolysis bullosa, surgical management, 608
complex injuries, use of e-mail/video conferencing to obtain second opinion (correspondence), 650
leech-borne *Serratia marcescens* infection following complex hand injury (case report), 640
see also Palm
Head and neck, cephalic vein in salvage microsurgical reconstruction, 2
Healing *see* Wound healing
Heel replantation (case report), 473
History
British Journal of Plastic Surgery, 154
West of Scotland Plastic Surgery Unit: 1940–1986, 333
Hydrogen peroxide, topical, enhancement of cutaneous flap survival, 551
Hypospadias repair
selective use of single-stage and two-stage technique, 195
two-stage
5-year audit of trainees experience and outcomes, 370
role of waterproofing, 542

I

Immunosuppression following thermal injury (correspondence), 411
Implants, breast
silicone, complications (correspondence), 412
survey of information provided by cosmetic clinics, 311
Infection
non-union, closure of skin defect by skin traction, 307, 572 (correspondence)
skin graft donor site, ritual sprinkling as cause (correspondence), 147
Informed consent, cosmetic surgery, 547
Internet
plastic surgical training, 74
PLink (the Plastic Surgery link), 86
Interosseous artery flap, posterior
distally based island flap (correspondence), 650
salvage procedure following impossible harvest (case report), 642
Ischial defects, repair using lateral thigh V-Y flap, 113
Ischial pressure sore coverage, flap selection (correspondence), 260
Island flaps
bilobed, nasal ala reconstruction, 493
distally based fasciocutaneous flaps on lower limb: five-year review (correspondence), 264, 651
distally based posterior interosseous based flap (correspondence), 650

J

Jejunum, free vascularised, expansion of oral end with jejunal patch flap rotated like folding fan, 103

K

Keloid
ear lobe, pressure clip, 122
regression by intralesional injection of papaya milk (correspondence), 261

L

Lasers
carbon dioxide
facial rejuvenation: quantitative method of assessment, 8
treatment of giant congenital melanocytic naevus with high energy pulsed CO_2 laser, 22 (case report), 570 (correspondence)
pulsed tunable dye (SPTL-1), treatment of arborising telangiectasia, 614
treatment of pigmented lesions, outcome prediction, 51
Latissimus dorsi muscle
muscle flap, bone induction by recombinant human bone morphogenetic protein-2, 275
split musculocutaneous flap combined with serratus anterior musculo-osseous flap in reconstruction of extensive scalp defect, 250
Learning styles, plastic surgeons, 74
Leech-borne *Serratia marcescens* infection following complex hand injury (case report), 640
Leg
lower
distally based lateral adipofascial flap, 96
endoscopically-assisted adipofascial flap harvest, 38, 484 (correspondence)
salvage of below knee amputation stump with free sensate total sole flap (case report), 470
perforator based V-Y advancement flaps, 431
Lidocaine pretreated muscle graft, axonal generation through, 555
Lignocaine: trial of pH buffered lignocaine with adrenaline in outpatients, 385
Limb
lower *see* Leg; Lower limb
oromandibular-limb hypogenesis syndromes (case report), 480
Lip, cleft *see* Cleft lip
Lipodystrophy, facial contour reconstruction using free radial forearm adipofascial flaps, 499
Lower limb
distally based fasciocutaneous flaps
five-year review of islanded flaps (correspondence), 264, 651
possible contraindication in the obese (correspondence), 652
see also Leg
Lymphoma
B-cell, atypical presentation (correspondence), 145
non-Hodgkin's, masquerading as chronic venous leg ulcer (correspondence), 487

M

McGregor, Ian Alexander, obituary, 408
Mammaplasty, reduction *see* Breast, reduction
Mandible
posterior defects, reconstruction with soft tissue using rectus abdominis free flap, 503
reconstructed, secondary lengthening using gradual distraction technique, 356
see also Oromandibular ...
Maxillary complex, malignant tumours: 18-year review, 584
Maxillary distraction osteogenesis, ocular protection in Pfeiffer's syndrome, 343
Medical Devices Agency (guest editorial), 417
Melanoma, malignant
incremental increases in Breslow thickness have linear effect on mortality (correspondence), 484
metastatic, of unknown primary site: possibility of primary declaring 18 months after secondaries (case report), 258
scalp, clinical significance of c-myc oncogene expression, 191
Meningioma, cutaneous, scalp: case report and review of literature, 402
Microvascular surgery
adaptation to loss of stereoscopic image (correspondence), 570
Three-dimensional On-screen Microsurgical system (TOMS) (correspondence), 262
Microwave muscle grafts, comparison with freeze-thawed grafts, 300
Mouth: articulatory function and tongue mobility after surgery followed by radiotherapy for tongue and floor of mouth cancer, 589
Muscle flaps, prefabricated, bone induction by recombinant human bone morphogenetic protein-2, 275
Muscle grafts
axonal regeneration through autografts submitted to local anaesthetic pretreatment, 555
electrophysiological and morphological comparison of microwave and freeze-thawed grafts, 300
Musculocutaneous flaps
split latissimus dorsi flap, combined with serratus anterior musculo-osseous flap in reconstruction of extensive scalp defect, 250
transverse rectus abdominus, breast reconstruction in very thin patients, 535

N

Naevus
giant congenital cellular blue naevus of scalp and cranium (correspondence)
giant congenital melanocytic, treatment with high energy pulsed CO_2 laser, 22 (case report), 570 (correspondence)
Nail, congenital ectopic, with bone deformity, 321
Nerve repair
distal nerve entrapment, 227
reconstruction of peripheral nerves by entubulation with biodegradeable glass tubes, 231
Nerves
peripheral *see* Peripheral nerves
spinal *see* Spinal nerves
Neurofibromatosis, radial artery aneurysm in (case report), 564
Neurorrhaphy, end-to-side, axonal generation following, 238
Nose
alar reconstruction, bilobed island flap, 493
altered sensibility following open rhinoplasty, 508
cleft lip, secondary repair of unilateral deformity with bilateral reverse-U access incision, 176
half, achieving natural shading in reconstruction, 131
subcutaneous emphysema following rhinoplasty (correspondence), 266

O

Obese, possible contraindication for distally based flaps in lower limb (correspondence), 652
Obituary: McGregor, Ian Alexander, 408
Obstetrical brachial palsy (review), 43
Oesophagus, cervical, reconstruction with free revascularised jejunum: jejunal expansion with patch flap, 103
Oral-facial-digital syndrome type-I, cone-shaped epiphyses of toes and trifurcation of soft palate (case report), 476
Orbit, development of ganglioneuroma following successful treatment for rhabdomyosarcoma (case report), 135
Orbital septum and levator aponeurosis junction in orientals, 594
Oromandibular defects, combined anterior thigh flaps and vascularised fibular graft for reconstruction of massive composite defects, 350
Oromandibular-limb hypogenesis syndromes: case of aglossia with intraoral band (case report), 480
Osteocutaneous flaps, free fibula, compartment syndrome in donor site, 405
Osteoinduction, ectopic, experimental study in latissimus dorsi muscle flap, 275
Osteomyelitis, pubis, turn-over rectus abdominis flap (correspondence), 413
Oxygen therapy, hyperbaric, deep second degree burns: experimental study, 67

P

Palate
cleft *see under* Cleft lip
soft, trifurcation in oral-facial-digital syndrome type-I (case report), 476
Palm, peripheral nerve injury, contribution of collateral sprouting to sensory and sudomotor recovery, 436
Papaya milk, treatment of keloid (correspondence), 261
Parotid sialadenitis, chronic non-specific, 517
Perforator based V-Y advancement flaps in leg, 431
Perforator flaps, use of Doppler flowmetry in planning, 202
Perineum: reconstruction of combined defects of posterior perineum/sacrum and posterior vaginal wall with gluteus maximus musculocutaneous turnover flap, 620
Peripheral nerves
contribution of collateral sprouting to sensory and sudomotor recovery after injury in palm, 436
defects, axonal regeneration through muscle autografts submitted to local anaesthetic pretreatment, 555
reconstruction by entubulation with biodegradeable glass tubes, 231
Pfeiffer's syndrome, ocular protection by maxillary distraction osteogenesis, 343
Phalloplasty, glans sculpting, female-to-male transsexuals, 376
Plastic Surgery Forum (correspondence), 260
Polytetrafluoroethylene conduit, expanded, ulnar nerve reconstruction (case report), 637
Pressure, negative, use in healing (correspondence), 79
Pressure clip for ear lobe, 122
Pressure sores
ischial, flap selection (correspondence), 260
in pregnancy (correspondence), 573
PTFE *see* Polytetrafluoroethylene

Q

Quality of life measurement in cosmetic surgery using Derriford Scale, 380

R

Radial artery aneurysm in neurofibromatosis (case report), 564
Radial forearm flaps, free adipofascial, facial contour reconstruction in localised lipodystrophy, 499
Recessive dystrophic epidermolysis bullosa (RDEB), surgical management of hands in children, 608
Rectus abdominis flaps
donor-site morbidity of segmental muscle flap, 603
reconstruction of posterior mandibular defects, 503
transverse musculocutaneous, breast reconstruction in very thin patients, 535
turn-over, pubis osteomyelitis (correspondence), 413
Replantation surgery
venous drainage through bone marrow, 629
venous thrombosis in replanted finger with underlying factor V Leiden mutation (case report), 57
Rhabdomyosarcoma, orbital, ganglioneuroma following successful treatment (case report), 135
Rhinoplasty
open, alterations in nasal sensibility, 508
subcutaneous emphysema following (correspondence), 266
Rhinoscleroma (correspondence), 78
Ritual sprinkling as source of infection in skin graft donor site (correspondence), 147
Romberg's disease, multiple implants of fragmented Gore-Tex® soft tissue patch (correspondence), 144
Rothmund–Thomson syndrome, squamous cell carcinoma of tongue in (case report), 646

S

Sacrum: reconstruction of combined defects of posterior perineum/sacrum and posterior vaginal wall with gluteus maximus musculocutaneous turnover flap, 620
Salivary gland, submandibular, malignant tumours: 15-year review, 181
Saphenous nerve neuralgia after gracilis muscle flap harvest (correspondence), 410
Scalp
arteriovenous malformation, use of regulating flap in treatment (case report), 561
avulsion injury, use of scalp as graft donor area (correspondence), 571
cutaneous meningioma: case report and review of literature, 402
defects
reconstruction with free flaps, 186
reconstruction of extensive defect using split latissimus dorsi flap combined with seratus anterior musculo-osseus flap, 250, 649 (correspondence)
giant congenital cellular blue naevus (correspondence), 410
melanomas, clinical significance of c-myc oncogene expression, 191
Scars
contractures, modified planimetric Z-plasties, 363
keloid *see* Keloid
treatment of excessive dermal scarring with topical tamoxifen, 462
Seat belt injury to female breast (correspondence), 653
Serratia marcescens, leech-borne infection following complex hand injury (case report), 640
Serratus anterior muscle, musculo-osseous flap, combined with split latissimus dorsi flap in reconstruction of extensive scalp defect, 250
Sialadenitis, parotid, chronic non-specific, 517
Silicone implants
breast, complications (correspondence), 412
removal using cutting diathermy (correspondence), 486
Skin
pigmented lesions, laser treatment, 51
traction, closure of skin defect overlying infected non-union, 307, 572 (correspondence)
Skin cancer, follow-up protocols: impact of outpatient department wall charts on physician compliance (correspondence), 412
Skin flaps
assessment of tissue viability using near-infrared spectroscopy, 210
deep inferior epigastric artery: clinical experience of 15 cases, 25
free, storage using new solution containing trehalose, 118
survival
effect of dexamethasone treatment prior to reperfusion of ischaemic flaps, 624
pharmacological enhancement with topical dimethyl sulphoxide and hydrogen peroxide, 551
Skin grafts, cultured, management of hands in children with recessive dystrophic epidermolysis bullosa, 608
Soft tissue defects, lower leg, endoscopically-assisted adipofascial flap harvest, 38, 484 (correspondence)
Sole flap, free sensate total, salvage of below knee amputation stump (case report), 470
Spectroscopy, near-infrared, assessment of tissue viability, 210
reconstructive surgery, 218
Spinal nerves: clinical evaluation of C7 nerve transection, 285
Stereolithographic biomodelling in craniofacial surgery, 522
Stress, hormone responses in major burns, 388
Subscapular vascular system, flaps based on (correspondence), 485
Suction dressings (correspondence), 267
Superoxide generation in reperfusion after arterial ischaemia and venous congestion, time course of, 633
Sweat glands, ceruminous gland neoplasia (case report), 317
Symphysis pubis, osteomyelitis treated with turn-over rectus abdominis flap (correspondence), 413

T

Tamoxifen, topical, in treatment of dermal scarring, 462
Teflon *see* Polytetrafluoroethylene
Telangiectasia, arborising, treatment with pulsed tunable dye laser (SPTL-1), 614
Tenosynovitis, suppurative (correspondence), 324
Thermoregulation, transplanted tissue, 599

Thigh
combined anterior thigh flaps and vascularised fibular graft for oromandibular reconstruction, 350
lateral, V-Y flap for repair of ischial defects, 113
Thoracodorsal artery perforator flaps, Doppler flowmetry in planning, 202
Three-dimensional On-screen Microsurgical system (TOMS) (correspondence), 262
Thrombosis, venous, replanted finger with underlying factor V Leiden mutation (case report), 57
Thumb, reconstruction by microvascular transfer of burn-contracted little finger, 126
Tibia, infected non-union, closure of skin defect by skin traction, 307, 572 (correspondence)
Tissue expanders, endoscopically assisted insertion using balloon dissection, 90
Tissue expansion, venous flaps: experimental study, 391
Tissue viability, assessment by near-infrared spectroscopy
free and pedicled flaps, 218
skin flaps, 210
Toes, cone-shaped epiphyses, in oral-facial-digital syndrome type-I (case report), 476
Tongue
aglossia with intraoral band (case report), 480
cancer
articulatory function and tongue mobility after surgery followed by radiotherapy, 589
squamous cell carcinoma in patient with Rothmund–Thomson syndrome (case report), 646
Tourniquet friction burns (case report), 142
Training in plastic surgery
how plastic surgeons learn, 74
Internet and, 74
overseas doctors in United Kingdom (correspondence), 324
Transverse rectus abdominis musculocutaneous (TRAM) flaps, extended free, breast reconstruction in very thin patients, 535
Trehalose, use in solution for free skin flap storage, 118
Turn-over flaps
gluteus maximus musculocutaneous, reconstruction of combined defects of posterior perineum/sacrum and posterior vaginal wall, 620
rectus abdominis, pubis osteomyelitis (correspondence), 413

U

Ulnar nerve reconstruction by expanded polytetrafluoroethylene conduit (case report), 637
Umbilicosculpture, 538

V

V-Y flap
lateral thigh, repair of ischial defects, 113
perforator based advancement flaps in leg, 431
Vaginal wall: reconstruction of combined defects of posterior perineum/sacrum and posterior vaginal wall with gluteus maximus musculocutaneous turnover flap, 620
Vein grafts: long-term studies of cold-stored autografts, 291
Venous congestion, reperfusion after, time course of superoxide generation, 633
Venous drainage through bone marrow after replantation, 629
Venous flaps, expansion: experimental study, 391
Venous thrombosis, replanted finger with underlying factor V Leiden mutation (case report), 57
Video conferencing for obtaining second opinion in hand injuries (correspondence), 650
Video-imaging
adaptation to loss of stereoscopic image (correspondence), 570
Three-dimensional On-screen Microsurgical system (TOMS) (correspondence), 262

W

West of Scotland Plastic Surgery Unit: 1940–1986, 333
Wound healing, use of negative pressure (correspondence), 79
Wrinkles, facial, carbon dioxide laser treatment, 8
Wrist pain, dorsal, reversed extensor indicis proprius muscle and (case report), 128

Z

Z-plasty, planimetric, modified technique used in treatment of scar contracture, 363